



**centormail *MAX***

**VERTICALLY WEIGHS,  
AND PROCESSES MAIL  
WITHOUT PRESORTING.**


# centorMail MAX

## DIGITAL MAILING SYSTEM

From postcards to letters, even flats and parcels – the CentorMail MAX is built to perform reliably, processing all formats of mail promptly and dependably. With a nearly 1" pass-through, the widest in the industry, oversized mail and #10 envelopes are processed with the same speed and efficiency. Processing up to 140 letters per minute, the CentorMail MAX is perfect for heavy mail processing.

### SPECIAL FEATURES

- ▶ Extended Feeder Deck Option
- ▶ Envelope Conveyor-Stacker Option
- ▶ Backlit LCD Display
- ▶ Incoming Mail Mode
- ▶ Interfaces with Shipping & Accounting Software
- ▶ Vertical Envelope Transport
- ▶ Integrated Label Dispenser
- ▶ Optional 10lb. Integrated Scale (upgradeable to 15lb.)
- ▶ Envelope Exit Tray
- ▶ 24/7 Postage Download
- ▶ Convenient Storage Bins
- ▶ In-Line Dynamic Scale Option
- ▶ Power Sealer
- ▶ Extended Departmental Accounting
- ▶ Shape-Based Pricing (SBP) Compliant
- ▶ Information-Based Indicia Program (IBIP) Compliant
- ▶ HP® Technology Inkjet Delivery System



#### 1 Vertical Feeding

Perfect for catalogs and other bulky mailings.

#### 2 True Mixed Mail Processing

No presorting of mail required at all!

#### 3 Easy Paper Path Access

Enables quick and easy access should a jam occur.

#### 4 Feeder Thickness Control

Keeps misfeeds and multiple feeds from occurring.

#### 5 Envelope Moistener

Pre-moistens envelopes for immediate sealing.

#### 6 Dynamic Scale

Automatically calculates the weight of mail pieces without a break in the process.

#### 7 Automatic Label Dispenser

Easily prints quick postage labels.

#### 8 Master/User Card

Allows for advanced user security.

## KEY ADVANTAGES

### EXCLUSIVE VERTICAL FEEDER

The CentorMail MAX is perfect for large and bulky mailings up to nearly one inch thick. A tension control with four levels enables swift processing of all sizes of mixed mail. And the vertical envelope transport draws from a stack and meters letters in every format.

### CONVENIENTLY WEIGH & RATE ALL SIZE MAIL

The integrated 10lb. optional scale calculates postage rates for larger pieces. It weighs the letter, calculates, and displays the correct postage. For oversized packages, print the indicia on an adhesive label, delivered by the integrated label dispenser.

### OPTIONAL MAILING & ACCOUNTING SOFTWARE

Unlimited cost accounting and reporting capabilities that conveniently manage and evaluate postage used. Generate reports and also utilize USPS® Confirmation Services.

### CHANGE PRINT HEADS FASTER & EASIER

The EasyConnect Bulk Ink System delivers long-lasting, high-quality printing while minimizing ink print head changes and increasing ink yield.

### RELOAD POSTAGE EFFORTLESSLY


At the touch of a button, instantly download postage funds through FP TeleSet.

#### AVAILABLE COMPONENT

#### CM CONVEYOR-STACKER



Add the optional CM Conveyor-Stacker for maximum through-put of up to 350 pieces.



#### 9 Optional 10 lb. Integrated Scale

Weighs and calculates correct postage. Upgradeable to 15 lbs.

#### 11 Backlit User Interface

Clear digital image for easy reading.

#### 13 Power Sealer

Allows for efficient one-step sealing process.

#### 15 Optional External Scale

Up to 150 lbs.

#### 10 Convenient Storage Bins

Store all of your supplies in these easy easy-access storage bins.

#### 12 Automatic Postage

Secure postage download using FP TeleSet.

#### 14 Envelope Exit Tray

Neatly stacks and organizes mail.

## SPECIFICATIONS

Speed
Material size
Material thickness
Print technology
Imprints per cartridge set

IBIP compliant
SBP Compliant
User interface
Label dispenser
Postage scale

Departmental accounts
Account security
Advertisemeny memory
Names for accounts/ads
Postage endorsements
SMS-text messages
Programmable jobs
Software options
Dimensions (w/ exit tray)
Weight
Power
Noise emmission

## OPTIONAL COMPONENT SPECIFICATIONS


Base/Feeder/Sealer/Exit Tray
Dimensions
Weight

Base/Feeder/Sealer/Exit Tray/Dynamic Scale
Dimensions
Weight

Base w/ options
Mixed mail feeding
Feeder letter capacity
Sealing fluid

Conveyor-Stacker
Dimensions
Weight
Letter capacity

up to 120 or 140 letters per minute
3" x 5" to 10" x 14"
up to 0.8"
HP Inkjet Technology
up to 26,000 without ads
up to 133,500 with Bulk Ink Delivery System
yes
yes
backlit LCD display with softkeys
yes
integrated up to 10 lbs., upgradeable to 15 lbs.
external up to 150 lbs.
optional differential weighing
100 or 300
master/user cards
15 custom ads
alpha-numeric, user-defined
8 standard
8 user-defined
20 user-defined
mailing & accounting software available
45.9" (W) x 21.3" (D) x 13.4" (H)
44.8 lbs.
115V, 60 Hz, 1.0 A, 115W
up to 67 dB
73" (L) x 21.5" (W) x 13.3" (H)
94.8 lbs.
94.5" (L) x 21.5" (W) x 13.3" (H)
124.6 lbs.
yes
110 standard, 280 with extended deck
Sealit
55" (L) x 16" (W) x 7.5" (H)
67 lbs.
up to 350 envelopes



**FP Frankie says**  
"Process mixed mail, Dynamic Scale, vertical feeding... CentorMail MAX hits the target every time."